


## 1. Product and Company Identification

<b>Product identifier</b>	<b>Clean &amp; Perfect</b>
<b>Other means of identification</b>	Not available
<b>Recommended use</b>	Cleaner
<b>Recommended restrictions</b>	None known.
<b>Manufacturer information</b>	NC Brands 40 Richards Ave. Norwalk, CT 06854 US Phone: (800) 753-1233 Emergency Phone: CHEMTREC (800) 424-9300
<b>Supplier</b>	See above.

## 2. Hazards Identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
	Specific target organ toxicity, repeated exposure	Category 2
<b>Environmental hazards</b>	Not classified.	
<b>WHMIS 2015 defined hazards</b>	Not classified	
<b>Label elements</b>		
<b>Signal word</b>	Warning	
<b>Hazard statement</b>	May cause an allergic skin reaction. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.	
<b>Precautionary statement</b>		
<b>Prevention</b>	Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Wash thoroughly after handling. Wear eye protection/face protection.	
<b>Response</b>	<p>IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see information on this label). Take off contaminated clothing and wash it before reuse.</p> <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention if you feel unwell.</p>	
<b>Storage</b>	Store away from incompatible materials.	
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.	
<b>WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)</b>	None known	
<b>WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)</b>	None known	
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.	
<b>Supplemental information</b>	Not applicable.	

## 3. Composition/Information on Ingredients

### Mixture

Chemical name	Common name and synonyms	CAS number	%
Tetrasodium ethylenediamine tetraacetate		64-02-8	2

Chemical name	Common name and synonyms	CAS number	%
Ethoxylated nonyl phenol		9016-45-9	1.99
d-Limonene		5989-27-5	0.9
Sodium hydroxide		1310-73-2	0.25
Alcohols, C9-11, ethoxylated		68439-46-3	0.16

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First Aid Measures

<b>Inhalation</b>	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
<b>Skin contact</b>	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see information on this label). Take off contaminated clothing and wash it before reuse.
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
<b>Most important symptoms/effects, acute and delayed</b>	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
<b>General information</b>	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.

#### 5. Fire Fighting Measures

<b>Suitable extinguishing media</b>	Water spray. Foam. Dry chemical. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Hazardous combustion products</b>	May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

#### 6. Accidental Release Measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe the mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Prevent entry into waterways, sewer, basements or confined areas.  Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
<b>Environmental precautions</b>	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

## 7. Handling and Storage

<b>Precautions for safe handling</b>	Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use care in handling/storage. Use good industrial hygiene practices in handling this material. When using do not eat or drink.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in original tightly closed container. Keep out of reach of children.

## 8. Exposure Controls/Personal Protection

### Occupational exposure limits

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m <sup>3</sup>

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m <sup>3</sup>

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m <sup>3</sup>

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m <sup>3</sup>

#### Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m <sup>3</sup>

#### Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m <sup>3</sup>

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	PEL	2 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m <sup>3</sup>

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m <sup>3</sup>

#### US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
d-Limonene (CAS 5989-27-5)	TWA	165.5 mg/m <sup>3</sup> 30 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Impervious gloves. Confirm with reputable supplier first.
<b>Other</b>	Use of an impervious apron is recommended. As required by employer code.
<b>Respiratory protection</b>	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).
<b>Thermal hazards</b>	Not applicable.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. When using do not eat or drink.

---

**9. Physical and Chemical Properties**

---

<b>Appearance</b>	Clear
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Pale yellow
<b>Odor</b>	Citrus
<b>Odor threshold</b>	Not available.
<b>pH</b>	10 - 12 (*alkali reserve <1)
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	1 - 1.02
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	8.3 - 8.5 lb/gal
<b>Solubility(ies)</b>	Complete
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.

---

**10. Stability and Reactivity**

---

<b>Reactivity</b>	This product may react with oxidizing agents. Reacts vigorously with acids.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Conditions to avoid</b>	Do not mix with other chemicals.

**Incompatible materials**  
**Hazardous decomposition products**

Strong oxidizing agents.  
May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

---

## 11. Toxicological Information

---

**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.

**Information on likely routes of exposure**

**Ingestion** May cause stomach distress, nausea or vomiting.  
**Inhalation** May cause damage to organs through prolonged or repeated exposure by inhalation.  
**Skin contact** May cause an allergic skin reaction.  
**Eye contact** Causes serious eye irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

**Information on toxicological effects**

**Acute toxicity** May cause an allergic skin reaction.

Components	Species	Test Results
Alcohols, C9-11, ethoxylated (CAS 68439-46-3)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA 2216 mg/kg, 24 Hours, ECHA 2000 mg/kg, 24 Hours, ECHA
	Rat	> 5000 mg/kg, HMIRA > 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 1600 mg/m <sup>3</sup> , 4 Hours, ECHA > 100 mg/m <sup>3</sup> , 6 hours, ECHA > 20 mg/L, 1 hours, Shell > 1.6 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	> 5050 mg/kg, ECHA 5130 mg/kg, ECHA 4600 mg/kg, ECHA 3488 mg/kg, ECHA 1400 mg/kg, Air products 1378 mg/kg, SAX
d-Limonene (CAS 5989-27-5)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Mouse	5600 mg/kg
	Rat	> 2000 mg/kg 4400 mg/kg
Ethoxylated nonyl phenol (CAS 9016-45-9)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	2830 mg/kg, NTP
<i>Inhalation</i>		
LC50	Not available	

Components	Species	Test Results
<i>Oral</i> LD50	Mouse	4290 mg/kg, ECHA
	Rat	2590 mg/kg, NTP
Sodium hydroxide (CAS 1310-73-2)		
<b>Acute</b>		
<i>Dermal</i> LD50	Not available	
<i>Inhalation</i> LC50	Not available	
<i>Oral</i> LD50	Rabbit	325 mg/kg, ECHA
Tetrasodium ethylenediamine tetraacetate (CAS 64-02-8)		
<b>Acute</b>		
<i>Dermal</i> LD50	Not available	
<i>Inhalation</i> LC50	Not available	
<i>Oral</i> LD50	Rat	> 2000 mg/kg, HSDB 3200 mg/kg, ECHA 2700 mg/kg, ECHA 2581 mg/kg, ECHA 2150 mg/kg, ECHA 1913 mg/kg, ECHA 1780 mg/kg, ECHA 1700 mg/kg, ECHA 1658 mg/kg, LOLI
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Exposure minutes</b>	Not available.	
<b>Erythema value</b>	Not available.	
<b>Oedema value</b>	Not available.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation.	
<b>Corneal opacity value</b>	Not available.	
<b>Iris lesion value</b>	Not available.	
<b>Conjunctival reddening value</b>	Not available.	
<b>Conjunctival oedema value</b>	Not available.	
<b>Recover days</b>	Not available.	
<b>Respiratory or skin sensitization</b>		
<b>Canada - Alberta OELs: Irritant</b>		
Sodium hydroxide (CAS 1310-73-2)		Irritant
<b>Respiratory sensitization</b>	Not classified.	
<b>Skin sensitization</b>	May cause an allergic skin reaction.	
<b>Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. See below.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
d-Limonene (CAS 5989-27-5)		Volume 73 - 3 Not classifiable as to carcinogenicity to humans.
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>		
Not listed.		
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.	
<b>Teratogenicity</b>	Not classified.	

<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.
<b>Aspiration hazard</b>	Not classified.
<b>Chronic effects</b>	May cause damage to organs through prolonged or repeated exposure.

---

## 12. Ecological Information

---

**Ecotoxicity** See below

### Ecotoxicological data

Components		Species	Test Results
Alcohols, C9-11, ethoxylated (CAS 68439-46-3)			
Fish		Rainbow Trout	70.7 mg/L, 96 Hours
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	2.9 - 8.5 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	6 - 12 mg/L, 96 hours
d-Limonene (CAS 5989-27-5)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/L, 96 hours
Ethoxylated nonyl phenol (CAS 9016-45-9)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	12.2 mg/L, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	1 - 1.8 mg/L, 96 hours
Sodium hydroxide (CAS 1310-73-2)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	34.59 - 47.13 mg/L, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	125 mg/L, 96 hours
Tetrasodium ethylenediamine tetraacetate (CAS 64-02-8)			
Algae	EC50	Algae	1.01 mg/L, 72 Hours
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	610 mg/L, 24 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	472 - 500 mg/L, 96 hours
<b>Persistence and degradability</b>	No data is available on the degradability of this product.		
<b>Bioaccumulative potential</b>	No data available.		
<b>Mobility in soil</b>	No data available.		
<b>Mobility in general</b>	Not available.		
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

---

## 13. Disposal Considerations

---

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## 14. Transport Information

---

**Transport of Dangerous Goods (TDG) Proof of Classification** In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

General IMDG Regulated Marine Pollutant.

**U.S. Department of Transportation (DOT)**

Not regulated as dangerous goods.

**Transportation of Dangerous Goods (TDG - Canada)**

Not regulated as dangerous goods.

---

## 15. Regulatory Information

---

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Canada CEPA Schedule I: Listed substance**

Ethoxylated nonyl phenol (CAS 9016-45-9) Listed.

**Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number**

d-Limonene (CAS 5989-27-5) 1 TONNES

**Canada Priority Substances List (Second List): Listed substance**

Ethoxylated nonyl phenol (CAS 9016-45-9) Listed.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

**Precursor Control Regulations**

Not regulated.

**WHMIS 2015 Exemptions** Not applicable

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Ethoxylated nonyl phenol (CAS 9016-45-9) 1.0 % One-Time Export Notification only.

**TSCA Chemical Action Plans, Chemicals of Concern**

Ethoxylated nonyl phenol (CAS 9016-45-9) Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Ethoxylated nonyl phenol (CAS 9016-45-9) Listed.

Sodium hydroxide (CAS 1310-73-2) Listed.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
Ethoxylated nonyl phenol	9016-45-9	1.99

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Ethoxylated nonyl phenol (CAS 9016-45-9)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**US state regulations**

**US - California Hazardous Substances (Director's): Listed substance**

Sodium hydroxide (CAS 1310-73-2) Listed.

**US - Illinois Chemical Safety Act: Listed substance**

Ethoxylated nonyl phenol (CAS 9016-45-9)

Sodium hydroxide (CAS 1310-73-2)

**US - Louisiana Spill Reporting: Listed substance**

Ethoxylated nonyl phenol (CAS 9016-45-9) Listed.

Sodium hydroxide (CAS 1310-73-2) Listed.



**US - Minnesota Haz Subs: Listed substance**

Sodium hydroxide (CAS 1310-73-2) Listed.

**US - New Jersey RTK - Substances: Listed substance**

Ethoxylated nonyl phenol (CAS 9016-45-9)  
Sodium hydroxide (CAS 1310-73-2)

**US - Texas Effects Screening Levels: Listed substance**

Alcohols, C9-11, ethoxylated (CAS 68439-46-3) Listed.  
d-Limonene (CAS 5989-27-5) Listed.  
Ethoxylated nonyl phenol (CAS 9016-45-9) Listed.  
Sodium hydroxide (CAS 1310-73-2) Listed.  
Tetrasodium ethylenediamine tetraacetate (CAS 64-02-8) Listed.

**US. Massachusetts RTK - Substance List**

Sodium hydroxide (CAS 1310-73-2)

**US. New Jersey Worker and Community Right-to-Know Act**

Ethoxylated nonyl phenol (CAS 9016-45-9)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Ethoxylated nonyl phenol (CAS 9016-45-9)  
Sodium hydroxide (CAS 1310-73-2)

**US. Rhode Island RTK**

Sodium hydroxide (CAS 1310-73-2)

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other Information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>HEALTH</b>	* 1
<b>FLAMMABILITY</b>	0
<b>PHYSICAL HAZARD</b>	0
<b>PERSONAL PROTECTION</b>	X



**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

25-July-2017

**Version #**

01

**Effective date**

25-July-2017

**Prepared by**

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

**Other information**

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.